

HEPATITIS B


Mother-to-child transmission is the major route

- Pregnant women should get tested for Hepatitis B
- All infected pregnant women to deliver at designated healthcare facilities

Newborn


- Birth dose Hepatitis B vaccine, within 24 hours to all
- Hepatitis B Immunoglobulin (HBIG) if born to mother infected with Hepatitis B along with birth dose vaccine within 24 hours

Testing, vaccine and HBIG are available free of cost at designated Government healthcare facilities



ONE NEEDLE ONE TIME **NEW NEEDLE EACH TIME**

**Unsafe injection
practices can
cause Hepatitis C
transmission**



**Hepatitis C is curable & treatment is available free of cost
at designated Government healthcare facilities**

THINKING OF TATTOOING OR BODY PIERCING?

Ensure new needle and ink for tattooing
Insist for sterile piercing instruments



**Do not let the INK
sink your life in a BLINK!
STAY SAFE**

Prevent bloodborne infections

HARM REDUCTION FOR INJECTING DRUG USE

DO NOT share needles to inject drugs



Prevent bloodborne infections

HEPATITIS C IS CURABLE in 12 weeks



Take tablets **every** day

Free testing & treatment available at designated
Government healthcare facilities

Hepatitis B

**Mother-to-child transmission
is the major route**

- » Pregnant women should get tested for Hepatitis B
- » All infected pregnant women to deliver at designated healthcare facilities

Newborn

- » Birth dose Hepatitis B vaccine, within 24 hours to all
- » Hepatitis B Immunoglobulin (HBIG) if born to mother infected with Hepatitis B along with birth dose vaccine within 24 hours

Testing, vaccine and HBIG are available free of cost at designated Government healthcare facilities